

Magnets

Disk-Shaped, Plastic Housing

SPECIFICATION

Material of the magnet
NdFeB **ND**
Neodymium, iron, boron
Temperature resistant up to 80 °C
Housing
Plastic

- White, RAL 9003 **WS**
- Gray, RAL 7040 **GR**
- Black, RAL 9004 **SW**
- Red, RAL 3031 **RT**

INFORMATION

Magnets GN 53.1 work in combination with the flat, rectangular plastic housing as a system for holding documents, templates, drawings etc. that are used in technical environments.

The neodymium magnets used are characterized by a high magnetic force.


- More Information on Retaining Magnets (see page)

ON REQUEST

- Other colors
- Magnet material hard ferrite
- With custom imprint



View of magnetic surface



GN 53.1

Description	d1	d2	h	Nominal magnetic forces in N	⚖
GN 53.1-ND-10-GR	10	8	9	4	1
GN 53.1-ND-10-RT	10	8	9	4	1
GN 53.1-ND-10-SW	10	8	9	4	1
GN 53.1-ND-10-WS	10	8	9	4	1
GN 53.1-ND-18-GR	18	14	8	10	5
GN 53.1-ND-18-RT	18	14	8	10	5
GN 53.1-ND-18-SW	18	14	8	10	5
GN 53.1-ND-18-WS	18	14	8	10	5
GN 53.1-ND-25-GR	25	22	8.5	14	7
GN 53.1-ND-25-RT	25	22	8.5	14	7
GN 53.1-ND-25-SW	25	22	8.5	14	7
GN 53.1-ND-25-WS	25	22	8.5	14	7
GN 53.1-ND-30-GR	30	28.5	8.5	27	9
GN 53.1-ND-30-RT	30	28.5	8.5	27	9
GN 53.1-ND-30-SW	30	28.5	8.5	27	9
GN 53.1-ND-30-WS	30	28.5	8.5	27	9
GN 53.1-ND-36-GR	36	32.5	8.5	35	11
GN 53.1-ND-36-RT	36	32.5	8.5	35	11
GN 53.1-ND-36-SW	36	32.5	8.5	35	11
GN 53.1-ND-36-WS	36	32.5	8.5	35	11
GN 53.1-ND-40-GR	40	36	8	35	13
GN 53.1-ND-40-RT	40	36	8	35	13
GN 53.1-ND-40-SW	40	36	8	35	13
GN 53.1-ND-40-WS	40	36	8	35	13