

Star Knobs

Aluminum

SPECIFICATION

Types

- Type **A**: Without bore (unmachined)
- Type **C**: With blind bore H7
- Type **D**: With threaded through bore
- Type **E**: With threaded blind bore

Aluminum

- Matte finish (tumbled) **MT**
Flash mark not visible
- Polished **PL**

Type **A** (without bore)
only available with a matte finish (MT)




INFORMATION

Star knobs GN 5336 are forged, therefore a close grain structure is maintained providing a high tensile strength and a smooth surface. Original ELESA design, now produced in metal in agreement with ELESA S.p.A.

TECHNICAL INFORMATION

- Cross Holes GN 110 (see page A17)
- ISO-Fundamental Tolerances (see page A21)



* Complete with surface index of the Star Knobs (MT or PL)

MT **PL**
Matte finish Polished

GN 5336-A

Description	d1	d4 -0.5	h1 -1	h2 ≈	⚖
GN 5336-40-A-MT	40	15	26	12.5	31
GN 5336-50-A-MT	50	19	33	16	69
GN 5336-60-A-MT	60	21	41	20	101
GN 5336-70-A-MT	70	26	47	23	163

GN 5336-C

Description	d1	d3 H7	d4 -0.5	h1 -1	h2 ≈	t1 min.	t2	⚖
GN 5336-40-B8-C-*	40	B 8	15	25	12.5	15	13	32
GN 5336-50-B10-C-*	50	B 10	19	32	16	18	16	70
GN 5336-60-B12-C-*	60	B 12	21	40	20	22	20	110
GN 5336-70-B16-C-*	70	B 16	26	46	23	28	20	144

Weight type MT

GN 5336-D

Description	d1	d2	d4 -0.5	h1 -1	h2 ≈	t1 min.	t2	⚖
GN 5336-40-M8-D-*	40	M 8	15	25	12.5	15	13	32
GN 5336-50-M10-D-*	50	M 10	19	32	16	18	16	60
GN 5336-60-M12-D-*	60	M 12	21	40	20	22	20	90
GN 5336-70-M16-D-*	70	M 16	26	46	23	28	20	174

GN 5336-E

Description	d1	d2	d4 -0.5	h1 -1	h2 ≈	t1 min.	t2	⚖
GN 5336-40-M6-E-*	40	M 6	15	25	12.5	15	13	32
GN 5336-40-M8-E-*	40	M 8	15	25	12.5	15	13	28
GN 5336-50-M8-E-*	50	M 8	19	32	16	18	16	62
GN 5336-50-M10-E-*	50	M 10	19	32	16	18	16	57
GN 5336-60-M10-E-*	60	M 10	21	40	20	22	20	100
GN 5336-60-M12-E-*	60	M 12	21	40	20	22	20	96
GN 5336-70-M12-E-*	70	M 12	26	46	23	28	20	174
GN 5336-70-M16-E-*	70	M 16	26	46	23	28	20	165

Weight type MT