

Breather caps

with splash guard and flat dipstick, technopolymer

COVER

- Polyamide based (PA) technopolymer, semi-matte finish.
- SFP+a.: RAL 2004 orange, marked "OIL".
- SFP+a.....C9: RAL 9005 black colour, marked "OIL".
- SFP+a.....C2-N: RAL 2004 orange, without "OIL" mark.
- SFP+a.....C9-N: RAL 9005 black colour, without "OIL" mark.

THREADED FITTING

Polyamide based (PA) technopolymer, black colour, semi-matte finish.

PACKING RING

NBR synthetic rubber.

FLAT DIPSTICK

Flat section phosphatised steel.
On request and for sufficient quantities dipstick can be supplied in different lengths and/or complete with MAX-MIN level lines.

SPLASH GUARD

Technopolymer.

STANDARD EXECUTIONS

- **SFP+a**: without air filter (black splash guard).
- **SFP+F+a**: D = 31, 42 and 57 with "tech-fil" air filter in zinc-plated steel wire (orange splash guard); D = 70 with "tech-foam" air filter in polyurethane foam mesh (polyester base), air filtration 40 μ (grey splash guard).
- **SFP-BA+F+a**: with "tech-foam" air filter in polyurethane foam mesh (polyester base), air filtration 40 μ (grey splash guard). Zinc-plated steel sheet bayonet.

MAXIMUM CONTINUOUS WORKING TEMPERATURE

100°C.

FEATURES AND APPLICATIONS

SFP+a breather caps come complete with splash guard device (ELESA originale design) that prevents oil loss and are particularly suitable for use where oil is violently agitated and could be splashed against the breather cap.




ELESA Original design 

TECHNICAL DATA


Air flow rate for each model can be determined from the graph calculating the difference between the pressure inside and outside the reservoir.


SPECIAL EXECUTION ON REQUEST

Threaded connector also with NPT thread (National Taper Pipe Thread - ANSI-ASME B1-20) for the codes marked with # in the table.



Operating layout






SFP+a

Code	Description	D	a#	L	d	d2	h	Δ
54146	SFP.30-12x1.5+a	31	188	29.5	M12x1.5	6	9.5	36
54146-C9	SFP.30-12x1.5+a-C9	31	188	29.5	M12x1.5	6	9.5	36
54166	SFP.30-14x1.5+a	31	188	29.5	M14x1.5	8	9.5	36
54166-C9	SFP.30-14x1.5+a-C9	31	188	29.5	M14x1.5	8	9.5	36
53946	SFP.30-16x1.5+a	31	188	29.5	M16x1.5	10	9.5	36
53946-C9	SFP.30-16x1.5+a-C9	31	188	29.5	M16x1.5	10	9.5	36
53966	SFP.30-18x1.5+a	31	188	29.5	M18x1.5	10	9.5	38
53966-C9	SFP.30-18x1.5+a-C9	31	188	29.5	M18x1.5	10	9.5	38
53983	SFP.30-20x1.5+a	31	188	29.5	M20x1.5	12	9.5	38
53983-C9	SFP.30-20x1.5+a-C9	31	188	29.5	M20x1.5	12	9.5	38
53993	SFP.30-22x1.5+a	31	188	29.5	M22x1.5	12	9.5	33
53993-C9	SFP.30-22x1.5+a-C9	31	188	29.5	M22x1.5	12	9.5	33
53936	SFP.30-1/4+a	31	188	29.5	G 1/4	8	9.5	35
53936-C9	SFP.30-1/4+a-C9	31	188	29.5	G 1/4	8	9.5	35
54011	SFP.30-3/8+a	31	188	29.5	G 3/8	10	9.5	33
54011-C9	SFP.30-3/8+a-C9	31	188	29.5	G 3/8	10	9.5	37
54111	SFP.30-1/2+a	31	188	29.5	G 1/2	12	9.5	38
54111-C9	SFP.30-1/2+a-C9	31	188	29.5	G 1/2	12	9.5	38
54211	SFP.40-3/4+a	42	184	36.5	G 3/4	18	11.5	48
54211-C9	SFP.40-3/4+a-C9	42	184	36.5	G 3/4	18	11.5	48
54311	SFP.40-1+a	42	184	36.5	G 1	18	11.5	48
54311-C9	SFP.40-1+a-C9	42	184	36.5	G 1	18	11.5	48
56703	SFP.57-3/4+a	57	184	42	G 3/4	18	14	69
56703-C9	SFP.57-3/4+a-C9	57	184	42	G 3/4	18	14	67
56733	SFP.57-1+a	57	184	42	G 1	18	14	69
56733-C9	SFP.57-1+a-C9	57	184	42	G 1	18	14	67
54411	SFP.57-1¼+a	57	184	44	G 1¼	28	16	67
54411-C9	SFP.57-1¼+a-C9	57	184	44	G 1¼	28	16	67
54511	SFP.57-1½+a	57	184	44	G 1½	28	16	69
54511-C9	SFP.57-1½+a-C9	57	184	44	G 1½	28	16	69
54877	SFP.70-2+a	70	179	59	G 2	23	17	103
54877-C9	SFP.70-2+a-C9	70	179	59	G 2	23	17	103


You can choose lengths other than the standard option and/or add MAX-MIN level markings. To request customization, select an item and follow the wizard on the web.



SFP+a-N

Code	Description	D	a#	L	d	d ₂	h	ΔΔ
54146-C2-N	SFP.30-12x1.5+a-C2-N	31	188	29.5	M12x1.5	6	9.5	36
54146-C9-N	SFP.30-12x1.5+a-C9-N	31	188	29.5	M12x1.5	6	9.5	36
54166-C2-N	SFP.30-14x1.5+a-C2-N	31	188	29.5	M14x1.5	8	9.5	36
54166-C9-N	SFP.30-14x1.5+a-C9-N	31	188	29.5	M14x1.5	8	9.5	36
53946-C2-N	SFP.30-16x1.5+a-C2-N	31	188	29.5	M16x1.5	10	9.5	36
53946-C9-N	SFP.30-16x1.5+a-C9-N	31	188	29.5	M16x1.5	10	9.5	36
53966-C2-N	SFP.30-18x1.5+a-C2-N	31	188	29.5	M18x1.5	10	9.5	38
53966-C9-N	SFP.30-18x1.5+a-C9-N	31	188	29.5	M18x1.5	10	9.5	38
53983-C2-N	SFP.30-20x1.5+a-C2-N	31	188	29.5	M20x1.5	12	9.5	38
53983-C9-N	SFP.30-20x1.5+a-C9-N	31	188	29.5	M20x1.5	12	9.5	38
53993-C2-N	SFP.30-22x1.5+a-C2-N	31	188	29.5	M22x1.5	12	9.5	33
53993-C9-N	SFP.30-22x1.5+a-C9-N	31	188	29.5	M22x1.5	12	9.5	33
53936-C2-N	SFP.30-1/4+a-C2-N	31	188	29.5	G 1/4	8	9.5	35
53936-C9-N	SFP.30-1/4+a-C9-N	31	188	29.5	G 1/4	8	9.5	35
54011-C2-N	SFP.30-3/8+a-C2-N	31	188	29.5	G 3/8	10	9.5	37
54011-C9-N	SFP.30-3/8+a-C9-N	31	188	29.5	G 3/8	10	9.5	37
54111-C2-N	SFP.30-1/2+a-C2-N	31	188	29.5	G 1/2	12	9.5	38
54111-C9-N	SFP.30-1/2+a-C9-N	31	188	29.5	G 1/2	12	9.5	38
54211-C2-N	SFP.40-3/4+a-C2-N	42	184	36.5	G 3/4	18	11.5	48
54211-C9-N	SFP.40-3/4+a-C9-N	42	184	36.5	G 3/4	18	11.5	48
54311-C2-N	SFP.40-1+a-C2-N	42	184	36.5	G 1	18	11.5	48
54311-C9-N	SFP.40-1+a-C9-N	42	184	36.5	G 1	18	11.5	48
56703-C2-N	SFP.57-3/4+a-C2-N	57	184	42	G 3/4	18	14	67
56703-C9-N	SFP.57-3/4+a-C9-N	57	184	42	G 3/4	18	14	67
56733-C2-N	SFP.57-1+a-C2-N	57	184	42	G 1	18	14	74
56733-C9-N	SFP.57-1+a-C9-N	57	184	42	G 1	18	14	74
54411-C2-N	SFP.57-1¼+a-C2-N	57	184	44	G 1 1/4	28	16	67
54411-C9-N	SFP.57-1¼+a-C9-N	57	184	44	G 1 1/4	28	16	67
54511-C2-N	SFP.57-1½+a-C2-N	57	184	44	G 1 1/2	28	16	69
54511-C9-N	SFP.57-1½+a-C9-N	57	184	44	G 1 1/2	28	16	69
54877-C2-N	SFP.70-2+a-C2-N	70	179	59	G 2	23	17	103
54877-C9-N	SFP.70-2+a-C9-N	70	179	59	G 2	23	17	103

You can choose lengths other than the standard option and/or add MAX-MIN level markings. To request customization, select an item and follow the wizard on the web.




SFP+F+a

Code	Description	D	a#	L	d	d ₂	d ₃	h	h ₁	
54156	SFP.30-12x1.5+F IL+a	31	188	29.5	M12x1.5	6	-	9.5	-	34
54156-C9	SFP.30-12x1.5+F IL+a-C9	31	188	29.5	M12x1.5	6	-	9.5	-	34
54176	SFP.30-14x1.5+F IL+a	31	188	29.5	M14x1.5	8	-	9.5	-	34
54176-C9	SFP.30-14x1.5+F IL+a-C9	31	188	29.5	M14x1.5	8	-	9.5	-	34
53956	SFP.30-16x1.5+F+a	31	188	29.5	M16x1.5	10	-	9.5	-	34
53956-C9	SFP.30-16x1.5+F+a-C9	31	188	29.5	M16x1.5	10	-	9.5	-	34
53976	SFP.30-18x1.5+F+a	31	188	29.5	M18x1.5	10	-	9.5	-	39
53976-C9	SFP.30-18x1.5+F+a-C9	31	188	29.5	M18x1.5	10	-	9.5	-	39
53989	SFP.30-20x1.5+F+a	31	188	29.5	M20x1.5	12	-	9.5	-	38
53989-C9	SFP.30-20x1.5+F+a-C9	31	188	29.5	M20x1.5	12	-	9.5	-	38
53999	SFP.30-22x1.5+F+a	31	188	29.5	M22x1.5	12	-	9.5	-	40
53999-C9	SFP.30-22x1.5+F+a-C9	31	188	29.5	M22x1.5	12	-	9.5	-	40
53939	SFP.30-1/4+F+a	31	188	29.5	G 1/4	8	-	9.5	-	39
53939-C9	SFP.30-1/4+F+a-C9	31	188	29.5	G 1/4	8	-	9.5	-	38
54031	SFP.30-3/8+F+a	31	188	29.5	G 3/8	10	-	9.5	-	38
54031-C9	SFP.30-3/8+F+a-C9	31	188	29.5	G 3/8	10	-	9.5	-	38
54131	SFP.30-1/2+F+a	31	188	29.5	G 1/2	12	-	9.5	-	36
54131-C9	SFP.30-1/2+F+a-C9	31	188	29.5	G 1/2	12	-	9.5	-	39
54231	SFP.40-3/4+F+a	42	184	36.5	G 3/4	18	-	11.5	-	55
54231-C9	SFP.40-3/4+F+a-C9	42	184	36.5	G 3/4	18	-	11.5	-	55
54331	SFP.40-1+F+a	42	184	36.5	G 1	18	-	11.5	-	54
54331-C9	SFP.40-1+F+a-C9	42	184	36.5	G 1	18	-	11.5	-	54
56713	SFP.57-3/4+F+a	57	184	42	G 3/4	18	-	14	-	80
56713-C9	SFP.57-3/4+F+a-C9	57	184	42	G 3/4	18	-	14	-	74
56743	SFP.57-1+F+a	57	184	42	G 1	18	-	14	-	80
56743-C9	SFP.57-1+F+a-C9	57	184	42	G 1	18	-	14	-	74
54431	SFP.57-1¼+F+a	57	184	44	G 1 1/4	28	-	16	-	80
54431-C9	SFP.57-1¼+F+a-C9	57	184	44	G 1 1/4	28	-	16	-	74
54531	SFP.57-1½+F+a	57	184	44	G 1 1/2	28	-	16	-	79
54531-C9	SFP.57-1½+F+a-C9	57	184	44	G 1 1/2	28	-	16	-	79
54853	SFP.70-3/4+F+a	70	173	63	G 3/4	16	35	15	6	107
54853-C9	SFP.70-3/4+F+a-C9	70	173	63	G 3/4	16	35	15	6	107
54863	SFP.70-1¼+F+a	70	179	59	G 1 1/4	23	-	17	-	105
54863-C9	SFP.70-1¼+F+a-C9	70	179	59	G 1 1/4	23	-	17	-	105
54879	SFP.70-2+F+a	70	179	59	G 2	23	-	17	-	106
54879-C9	SFP.70-2+F+a-C9	70	179	59	G 2	23	-	17	-	106

You can choose lengths other than the standard option and/or add MAX-MIN level markings. To request customization, select an item and follow the wizard on the web.






SFP+F+a-N

Code	Description	D	a#	L	d	d ₂	d ₃	h	h ₁	△
54156-C2-N	SFP.30-12x1.5+F FIL+a-C2-N	31	188	29.5	M12x1.5	6	-	9.5	-	34
54156-C9-N	SFP.30-12x1.5+F FIL+a-C9-N	31	188	29.5	M12x1.5	6	-	9.5	-	34
54176-C2-N	SFP.30-14x1.5+F FIL+a-C2-N	31	188	29.5	M14x1.5	8	-	9.5	-	34
54176-C9-N	SFP.30-14x1.5+F FIL+a-C9-N	31	188	29.5	M14x1.5	8	-	9.5	-	34
53956-C2-N	SFP.30-16x1.5+F+a-C2-N	31	188	29.5	M16x1.5	10	-	9.5	-	34
53956-C9-N	SFP.30-16x1.5+F+a-C9-N	31	188	29.5	M16x1.5	10	-	9.5	-	34
53976-C2-N	SFP.30-18x1.5+F+a-C2-N	31	188	29.5	M18x1.5	10	-	9.5	-	39
53976-C9-N	SFP.30-18x1.5+F+a-C9-N	31	188	29.5	M18x1.5	10	-	9.5	-	39
53989-C2-N	SFP.30-20x1.5+F+a-C2-N	31	188	29.5	M20x1.5	12	-	9.5	-	38
53989-C9-N	SFP.30-20x1.5+F+a-C9-N	31	188	29.5	M20x1.5	12	-	9.5	-	38
53999-C2-N	SFP.30-22x1.5+F+a-C2-N	31	188	29.5	M22x1.5	12	-	9.5	-	40
53999-C9-N	SFP.30-22x1.5+F+a-C9-N	31	188	29.5	M22x1.5	12	-	9.5	-	40
53939-C2-N	SFP.30-1/4+F+a-C2-N	31	188	29.5	G 1/4	8	-	9.5	-	38
53939-C9-N	SFP.30-1/4+F+a-C9-N	31	188	29.5	G 1/4	8	-	9.5	-	38
54031-C2-N	SFP.30-3/8+F+a-C2-N	31	188	29.5	G 3/8	10	-	9.5	-	38
54031-C9-N	SFP.30-3/8+F+a-C9-N	31	188	29.5	G 3/8	10	-	9.5	-	38
54131-C2-N	SFP.30-1/2+F+a-C2-N	31	188	29.5	G 1/2	12	-	9.5	-	39
54131-C9-N	SFP.30-1/2+F+a-C9-N	31	188	29.5	G 1/2	12	-	9.5	-	39
54231-C2-N	SFP.40-3/4+F+a-C2-N	42	184	36.5	G 3/4	18	-	11.5	-	55
54231-C9-N	SFP.40-3/4+F+a-C9-N	42	184	36.5	G 3/4	18	-	11.5	-	55
54331-C2-N	SFP.40-1+F+a-C2-N	42	184	36.5	G 1	18	-	11.5	-	54
54331-C9-N	SFP.40-1+F+a-C9-N	42	184	36.5	G 1	18	-	11.5	-	54
56713-C2-N	SFP.57-3/4+F+a-C2-N	57	184	42	G 3/4	18	-	14	-	74
56713-C9-N	SFP.57-3/4+F+a-C9-N	57	184	42	G 3/4	18	-	14	-	74
56743-C2-N	SFP.57-1+F+a-C2-N	57	184	42	G 1	18	-	14	-	74
56743-C9-N	SFP.57-1+F+a-C9-N	57	184	42	G 1	18	-	14	-	74
54431-C2-N	SFP.57-1¼+F+a-C2-N	57	184	44	G 1¼	28	-	16	-	74
54431-C9-N	SFP.57-1¼+F+a-C9-N	57	184	44	G 1¼	28	-	16	-	74
54531-C2-N	SFP.57-1½+F+a-C2-N	57	184	44	G 1½	28	-	16	-	79
54531-C9-N	SFP.57-1½+F+a-C9-N	57	184	44	G 1½	28	-	16	-	79
54853-C2-N	SFP.70-3/4+F+a-C2-N	70	173	63	G 3/4	16	35	15	6	107
54853-C9-N	SFP.70-3/4+F+a-C9-N	70	173	63	G 3/4	16	35	15	6	107
54863-C2-N	SFP.70-1¼+F+a-C2-N	70	179	59	G 1¼	23	-	17	-	105
54863-C9-N	SFP.70-1¼+F+a-C9-N	70	179	59	G 1¼	23	-	17	-	105
54879-C2-N	SFP.70-2+F+a-C2-N	70	179	59	G 2	23	-	17	-	106
54879-C9-N	SFP.70-2+F+a-C9-N	70	179	59	G 2	23	-	17	-	106


You can choose lengths other than the standard option and/or add MAX-MIN level markings. To request customization, select an item and follow the wizard on the web.



SFP-BA+F+a

Code	Description	D	a#	L	d ₂	d ₄	h	
54883	SFP.70-BA+F+a	70	179	56	30	39	14	113
54883-C9	SFP.70-BA+F+a-C9	70	179	56	30	39	14	100

You can choose lengths other than the standard option and/or add MAX-MIN level markings. To request customization, select an item and follow the wizard on the web.



SFP-BA+F+a-N

Code	Description	D	a#	L	d ₂	d ₄	h	
54883-C2-N	SFP.70-BA+F+a-C2-N	70	179	56	30	39	14	100
54883-C9-N	SFP.70-BA+F+a-C9-N	70	179	56	30	39	14	100

You can choose lengths other than the standard option and/or add MAX-MIN level markings. To request customization, select an item and follow the wizard on the web.